


1/8

FIG. 1

100



SOURCE	DESTINATION PORT
LENGTH	CHECKSUM

FIG. 2 110
-PRIOR ART-

V=2	P	X	CC	M	PT	SEQUENCE NUMBER
TIMESTAMP						
SYNCHRONIZATION SOURCE (SSRC) IDENTIFIER						
CONTRIBUTING SOURCE (CSRC) IDENTIFIER						

120 **FIG. 3**
-PRIOR ART-

UDP CHECKSUM						
MODE	R-PT	M	R-X	CSRC	TSS	TIS

FIG. 4 130
(PRIOR ART)

3/8

PROTOCOL VERSION	HEADER LENGTH	TYPE OF SERVICE		TOTAL LENGTH			
PACKET ID				D F	M F	FRAGMENT OFFSET	
TIME TO LIVE		PROTOCOL		HEADER CHECKSUM			
SOURCE ADDRESS							
DESTINATION ADDRESS							

SOURCE PORT				DESTINATION PORT				
SEQUENCE NUMBER								
ACKNOWLEDGEMENT NUMBER								
DATA OFFSET	DATA OFFSET	U	A	P	R	S	F	WINDOW
CHECKSUM							URGENT POINTER	

FIG. 5
(PRIOR ART)

140

4/8





FIG. 6
(PRIOR ART)

150

FIG. 7

160



5/8





FIG. 8

6/8



180

FIG. 9

7/8




FIG. 10




FIG. 11